

EPA Official Record

Notes ID: 0D10885061DBEDD585257869005490B5

From: Dave Dickerson/R1/USEPA/US

To: "Rigassio-Smith, Anita" <Anita.Rigassio-Smith@jacobs.com>

Delivered Date: 07/26/2010 09:14 AM EDT

Subject: RE: quick cell #1 question

OK - thanks Anita

▼ "Rigassio-Smith, Anita" ---07/23/2010 04:07:21 PM---Hi again Dave, Capping the DDA was ~\$1M, so the rest was emptying Cell #1.

From: "Rigassio-Smith, Anita" <Anita.Rigassio-Smith@jacobs.com>

To: Dave Dickerson/R1/USEPA/US@EPA

Cc: "Fox, Steve \ (New Bedford\)" <Steve.Fox@jacobs.com>, <paul.g.l'heureux@usace.army.mil>, ElaineT Stanley/R1/USEPA/US@EPA, "Gouveia, Mark" <Mark.Gouveia@jacobs.com>, "Rigassio-Smith, Anita" <Anita.Rigassio-Smith@jacobs.com>

Date: 07/23/2010 04:07 PM

Subject: RE: quick cell #1 question

Hi again Dave,

Capping the DDA was ~\$1M, so the rest was emptying Cell #1.

An additional note regarding the 23,000 cy is that we assumed 19,500 tons of PCB-contaminated waste and 15,000 tons of mixed waste. At the time we prepared the estimate (February 2009) we felt that this proportion was accurate. However, if at the time of removal the proportion has changed significantly from this assumption (e.g., if VOCs leached into the PCB-contaminated waste making it a mixed waste) the cost could change.

Anita

-----Original Message-----

From: Rigassio-Smith, Anita

Sent: Friday, July 23, 2010 3:01 PM

To: 'dickerson.dave@epamail.epa.gov'

Cc: Fox, Steve (New Bedford); paul.g.l'heureux@usace.army.mil; stanley.elainet@epamail.epa.gov; Gouveia, Mark

Subject: RE: quick cell #1 question

Hi Dave,

The volume we estimated for Cell #1 was 23,000 cy.

I'm not sure what you mean by "the two projects"? Are you referring to emptying Cell #1 as one project and emptying the DDA as another?

Anita

-----Original Message-----

From: dickerson.dave@epamail.epa.gov [mailto:dickerson.dave@epamail.epa.gov]
Sent: Friday, July 23, 2010 2:00 PM
To: Rigassio-Smith, Anita; Gouveia, Mark
Cc: Fox, Steve (New Bedford); paul.g.l'heureux@usace.army.mil;
stanley.elainet@epamail.epa.gov
Subject: quick cell #1 question

Anita and Mark - for our 8/11/10 PRP meeting I'm looking for the estimated volume in cell #1 that would need T&D. I'm hoping you have it readily available as part of the \$16.7m estimate for cell 1 and the DDA. Estimates are fine, doesn't have to be exact. Also, how does this \$16.7m split between the two projects? Something like \$14m/2.7m if memory serves, no?

Thanks - Dave

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.